



PRODUCTSSECTION

HOTCURE RETREADS



SGP

D H R U

					14"
					1.85



SSG

D R O

					14"	15"
					6.00	6.00
					6.40	6.50
					6.50	



**G126/
TC126**

D T H R U

					12"	13"	14"	15"	16"	20"
					5.00	5.00	6.00	6.40	6.50	8.25
					5.50	5.50	6.40	6.50	7.00	9.00
					6.00	6.00	6.50	6.70	7.50	10.00
						6.70	7.00	7.00		11.00
							7.75	7.50		11.1



ST29

D R O

					16"
					6.00
					7.50



CTP

D O

					15"	16"
					7.00	7.00
					7.50	7.50



ST81

T O

					16"
					7.50

HOTCURE RETREADS



**CXG/
TCCXG**

D **O**

	14"	15"	16"
	6.00	6.40	6.00
	6.40	6.50	7.00
	6.50	6.70	7.50
	7.75	7.00	
		7.50	



TGM

D **O**

	16"
	7.00
	7.50
	9.00
	280/-
	285/-



**SL/
TCSL**

D **O**

	16"	20"
	7.50	8.25
		9.00
		10.00
		11.00
		11.1



**BS/
U-LUG**

D **R** **O**

	12"	15"	16"
	7.00		



**SPG/
J-LUG**

D **T** **R** **O**

	9"	10"	12"	15"	16"	20"
	6.00	6.50	7.00	7.00	8.25	11.00
				26.9		
				8.25		



DL

D **R** **O**

	20"
	10.00
	11.00
	11.1

HOTCURE RETREADS



TK

D **O**

20"
11.00
12.00



RK

D **RO**

20"
10.00
11.00
11.1



TCSN

D **T** **H** **R** **U**

20"
10.00
11.1



**LT/
TCLT**

D **RO**

20"
8.25
9.00
10.00
11.1



HC12

D **T** **RO** **U**

20"
10.00
11.1



HC64

D **O**

20"
10.00
11.1

HOTCURE RETREADS



RT40



	24"	28"	30"
	9.50	11.00	14
	9.00	12.4	16.9
	9.5/9	12.4/11	16.9/14
	11.00	13	
	11.2	14.90	
	11.2/10	14.9/13	
	12.4	16.9	
	12.4/11		
	13.6		



ST (Deep)



	30"	34"
	14	14
	16.9	16.9
	16.9/14	16.9/14
	18.4	18.4
	18.4/15	18.4/15



ST35



	24"	25"
	13.00	15.5
	14.9	
	14.9/13	
	17.5	



EM11 (Deep)



	20"	24"	25"
	14.00	13.00	15.5
		14.00	17.5
		16.9	
		16.9/14	
		17.5	
		18.4	
		19.5	



ST86



	24"	28"
	16.00	14
		16.9
		16.9/14

HOTCURE RETREADS



T95

DT O

26"
23.1
23.1/18



SLICK

DT O

25"
18.00
23.5

TYRE POSITION **D** Drive **T** Trailer APPLICATION **H** Highway **R** Regional **O** Off Road **U** Urban

Allow ± 3% commercial tolerance. All technical specifications are approximate only.

PRECURED RETREADS



S722

230
252

22.5"

275/-
295/-
315/-
305/-
12R



SP32

215
240

20"

275/-
295/-
11R
12R



S580

215
250

22.5"

275/-
295/-
305/-
315/-
11R
12R



SHF

240
260

22.5"

275/-
295/-
305/-
315/-
12R



SPCB

152
250

14" 15" 16" 17.5" 19.5" 20" 22.5"

7.75	6.70	7.00	195/-	245/-	8.25	265/-
	7.00	7.50	205/-	265/-	9.00	275/-
	7.50	8.25	215/-		10.00	285/-
	8.25	7.00R	225/-		11.00	295/-
			235/-		11.10	315/-
			9R		12.00	325/-
			10R			9R
						10R
						11R
						11/-
						12R

275/-
295/-
305/-
315/-
12R



SDY3

240
260

22.5"

275/-
295/-
305/-
315/-
12R

PRECURED RETREADS



SP12

180
245

D T R O U

17.5"	19.5"	20"	22.5"
225/-	245/-	8.25	265/-
235/-	265/-	9.00	275/-
245/-		10.00	285/-
		11.00	295/-
		11.10	305/-
		12.00	9R
			10R
			11R
			11/-
			12R



SDE

220
260

D H R

20"	22.5"	24"
11.00	275/-	12.00
12.00	285/-	
	295/-	
	315/-	
	11R	
	11/-	
	12R	
	13R	



EG

220
260

D H R

20"	22.5"	24"
11.00	275/-	12.00
12.00	285/-	
	295/-	
	315/-	
	11R	
	11/-	
	12R	
	13R	



SP22

210
230

D R O

19.5"	20"	22.5"
245/-	10.00	265/-
265/-	11.00	275/-
	11.10	285/-
	12.00	295/-
		305/-
		9R
		10R
		11R
		12R



SP9

160
168

D R O

15"	16"	17.5"	20"
7.50	7.00	195/-	8.25
8.25	7.50	205/-	
	8.25	215/-	
	195/-	225/-	
	205/-	235/-	
	215/-		



S119


240
250

D H R

22.5"
275/-
295/-
315/-
305/-
12R

PRECURED RETREADS



SP11 
mm
194
|
260

DT HRU

	17.5"	19.5"	20"	22.5"
	225/-	245/-	8.25	9R
	235/-	265/-	9.00	10R
			10.00	11R
			11.00	12R
			11.10	13R
			12.00	265/-
			13/80R	275/-
				285/-
				295/-
				315/-



SR34 
mm
194
|
260

DT HRU

	19.5"	20"	22.5"	24"
	245/-	10.00	265/-	12.00
	265/-	11.00	275/-	
		11.10	285/-	
		12.00	295/-	
			9R	
			11/-	
			12R	




S85 
mm
210
|
270

DT HRU

	22.5"
	275/-
	295/-
	315/-
	295/-
	305/-
	11R
	12R



MIX757 
mm
220
|
245

DT HRU

	22.5"
	275/-
	295/-
	305/-
	11R
	12R



SP8 
mm
140
|
216

DT HRU

	14"	15"	16"	17.5"	20"	22.5"
	7.75	6.70	7.00	195/-	8.25	9R
		7.00	7.50	205/-	9.00	10R
		7.50	8.25	215/-	10.00	11R
		8.25	195/-	225/-	11.00	11/-
			205/-	9R	11.10	
			215/-	10R		
			225/-			
			235/-			



SH 
mm
130
|
250

DT HRU

	9"	10"	12"	14"	15"
	6.00	6.50	7.00	6.40	6.70
				7.75	7.00
					7.50
					8.25

PRECURED RETREADS



SP15 ^{mm}

194
265

D **T** **H** **R** **U**

17.5"	19.5"	20"	22.5"
225/-	245/-	8.25	265/-
235/-	265/-	9.00	275/-
		10.00	285/-
		11.00	295/-
		11.10	315/-
		12.00	9R
			10R
			11R
			12R



SP1 ^{mm}

195
245

D **T** **H** **R** **U**

20"	22.5"
9.00	275/-
10.00	295/-
11.00	305/-
12.00	315/-
	10R
	11R
	12R



RH ^{mm}

142
170

D **T** **H** **R**

14"	15"	16"	17.5"	20"
6.40	6.40	6.00	195/-	8.25
6.50	6.50	6.50	205/-	9.00
6.70	6.70	7.00	215/-	
7.00	7.00	7.50	225/-	
7.50	7.50	8.25	235/-	
7.75	8.25	195/-	205/-	
			215/-	



S150 ^{mm}

230
260

D **T** **H** **R**

22.5"
275/-
295/-
305/-
315/-
11R
12R

--	--	--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--	--	--

TYRE POSITION **D** Drive **T** Trailer APPLICATION **H** Highway **R** Regional **O** Off Road **U** Urban

Allow ± 3% commercial tolerance. All technical specifications are approximate only.

PRECURED RETREADS



SP64

195
240



19.5"	20"	22.5"	24"
245/-	10.00	265/-	12.00
265/-	11.00	275/-	
	11.10	285/-	
	12.00	295/-	
		11R	
		11/-	
		12R	



SP20D

195
254



20"	22.5"
10.00	275/-
11.00	295/-
12.00	305/-
	315/-
	10R
	11R
	12R



RB

200
260



19.5"	20"	22.5"	24"
245/-	10.00	265/-	12.00
265/-	11.00	275/-	
	11.10	285/-	
	12.00	295/-	
	13/80R	315/-	
		10R	
		11R	
		11/-	
		12R	



SPLUG

150
195



9"	10"	12"	15"
6.00	6.50	7.00	7.00
			7.50
			8.25
			9.00
			10.00



SP40

142
162



12"	14"	15"	16"
7.00	7.75	6.50	6.50
		6.70	7.00
		7.00	7.50
		7.50	



PXG

140
180



15"	16"	20"
6.70	7.00	8.25
7.00	7.50	
8.25		

TYRE POSITION **D** Drive **T** Trailer APPLICATION **H** Highway **R** Regional **O** Off Road **U** Urban

Allow ± 3% commercial tolerance. All technical specifications are approximate only.

PRECURED OTR RETREADS



EMT 
mm
540
700

25"	25"
21.00	21.00R
23.5	23.5R
26.5	26.5R
29.5	29.5R



UL 
mm
310
520

24"	24"	25"	25"	29"	29"
14.00	14.00R	14.00	14.00R	17.5	17.5R
16.00	16.00R	16.00	16.00R		
	380/70R	17.5	17.5R		
	385/95R	18.00	18.00R		
	405/70R	20.5	20.5R		
	420/65R	21.00	21.00R		
	420/70R	23.5	23.5R		
	440/65R		385/95R		
	440/80R		445/80R		
	480/65R		445/95R		
	520/65R		505/95R		
			525/80R		
			650/65R		
			750/65R		



IR 
mm
360

24"	24"	25"	25"
16.00	16.00R	16.00	16.00R
		17.5	17.5R
		20.5	20.5R
			445/80R
			445/95R

Tread Width (mm)	Tyre Size	Tread Width (mm)	Tyre Size	Tread Width (mm)	Tyre Size	Tread Width (mm)	Tyre Size	Tread Width (mm)	Tyre Size		
120	5.60 R 12		175/75 R 16		215 R 16		9.5 R 19.5		12/80 R 22.5		
	155 R 14		185/75 R 16		215/75 R 16		10.00 R 20		12.00 R 24		
	165 R 14		195 R 16		8.25 R 16		10 R 22.5				
	6.00 R 16		195/75 R 16		205/75 R 17.5		255/70 R 22.5				
	6.00 R 20		7.50 R 16		215/75 R 17.5						
130	6.70 R 13	160	195 R 14		8 R 17.5	210	11.00 R 16		305/70 R 19.5		
	6.50 R 14		195/75 R 14		8.5 R 17.5		10 R 17.5		12.00 R 20		
	6.70 R 14		205 R 14		9 R 17.5		245/75 R 17.5		12/80 R 20 (D 20 - Pilote)		
	6.70 R 15		7.50 R 15		8 R 19.5		265/75 R 19.5		315/80 R 20		
	6.50 R 16		205 R 14		215/75 R 19.5		10.00 R 20		12.00 R 22		
	175/75 R 16		7.50 R 15		8.25 R 20		11.00 R 22		295/70 R 22.5		
	6.50 R 17		8.25 R 15		8 R 22.5		10 R 22.5		295/80 R 22.5		
	6.00 R 20		195 R 15		180		9.00 R 16		11 R 22.5	13/70 R 22.5	
	6.50 R 20		215 R 15				225/75 R 16		11/70 R 22.5	12.00 R 24	
			195 R 16				227/70 R 17.5				
	195/75 R 16	8.8 R 17.5	220	11.00 R 16		245 R 22.5					
	205 R 16	9 R 17.5		265/70 R 19.5		315/80 R 22.5					
	205/75 R 16	225/75 R 17.5		285/70 R 19.5		12/80 R 20 (D 20 - Pilote)					
	8.25 R 16	225/75 R 17.5		11.00 R 20 (E 20 - Pilote)		13.00 R 20					
	205/75 R 17.5	225/70 R 19.5		12.00 R 20		13/80 R 20					
	8 R 17.5	225/75 R 19.5		315/80 R 20		13 R 22.5					
	215/75 R 19.5	9 R 19.5		11.00 R 22		13/75 R 22.5					
	8 R 22.5	9.00 R 20		12.00 R 22	315/70 R 22.5						
		9 R 22.5		275/70 R 22.5	315/80 R 22.5						
				275/80 R 22.5							
140	6.70 R 13	165	205 R 14		9.00 R 16	190	11 R 22.5		260 13.00 R 20		
	175 R 14		215 R 14		235/75 R 16		11/70 R 22.5		13/80 R 20		
	185 R 14		215 R 15		9.5 R 17.5		12 R 22.5		13 R 22.5		
	185/75 R 14		205 R 16		225/75 R 17.5		12/70 R 22.5		13/75 R 22.5		
	6.70 R 14		205/75 R 16		235/75 R 17.5		305/70 R 22.5				
	185 R 15 (17-380)		215 R 16		9.5 R 19.5		12/80 R 22.5		265 14/80 R 20 (F 20 - Pilote)		
	6.70 R 15		215/75 R 19.5		9 R 19.5		12.00 R 24		365/80 R 20		
	7.00 R 15		8 R 22.5		235/70 R 19.5						
	195 R 15		205 R 14		225/75 R 19.5		230		285/70 R 19.5	287 365/80 R 20	
	175 R 16		215 R 14		9.00 R 20				12.00 R 20	295 385/65 R 22.5	
	175/75 R 16		215 R 15		9 R 22.5				315/80 R 20		
	185 R 16		8 R 17.5		200				12.00 R 22	12.00 R 22	
	185/75 R 16		8 R 19.5						255/75 R 15	295/70 R 22.5	300 15 R 22.5
	7.00 R 16		8.25 R 20						235/75 R 16	295/80 R 22.5	15.5/80 R 20
	7 R 17.5		8 R 22.5						9.5 R 17.5	12 R 22.5	385/65 R 22.5
7 R 19.5	205 R 14	10 R 17.5	12/70 R 22.5								
7.00 R 20	215 R 14	245/75 R 17.5	13/70 R 22.5	320 425/65 R 22.5							
	215 R 15	235/70 R 19.5	303/70 R 22.5	16.5 R 22.5							
	205 R 16	245/70 R 19.5	315/75 R 22.5								
	205/75 R 16										
150	185 R 14	170	205 R 14		9.5 R 17.5		285/70 R 19.5		365/80 R 20		
	185/75 R 14		215 R 14		10 R 17.5		295/80 R 22.5		295 385/65 R 22.5		
	195 R 14		215 R 15		12 R 22.5		12 R 22.5				
	195/75 R 14		215 R 15		12/70 R 22.5		13/70 R 22.5				
	7.00 R 15		205 R 16		303/70 R 22.5		303/70 R 22.5				
	7.50 R 15		205/75 R 16		315/75 R 22.5						
	8.25 R 15										
	185 R 15 (17-380)										
	195 R 15										
	185 R 16										

Allow a 3% commercial tolerance. All technical specifications are approximate only.